

LIGHTING COLLECTION

SWEDEN MAY 2019
REC. RETAIL PRICELIST IN
SEK INCL. VAT

Subject to increases in prices and printing errors


HAY



CONTENT

30 DEGREES WITH CORD SET / L / PENDANT	11
30 DEGREES WITH CORD SET / M / PENDANT	10
30 DEGREES WITH CORD SET / S / PENDANT	9
30 DEGREES WITH CORD SET / XL / PENDANT	12
CLOCHE	19
CORD SET	27
FIFTY-FIFTY FLOOR LAMP	4
FIFTY-FIFTY MINI	5
FIFTY-FIFTY TABLE LAMP	3
MARSELIS FLOOR LAMP	7
MARSELIS TABLE LAMP	6
NOC CLIP	15
NOC WALL	16
NOC WALL BUTTON	17
PC DOUBLE ARM W. CLAMP	24
PC DOUBLE ARM W. TABLE BASE	26
PC DOUBLE ARM W. TABLE INSERT	25
PC DOUBLE ARM W. WALL BRACKET	23
PC PORTABLE	20
PC SINGLE ARM W. CLAMP	21
PC SINGLE ARM W. WALL BRACKET	22
ROPE TRICK	8
SINKER / L / PENDANT	14
SINKER / S / PENDANT	13
TURN ON	18

FIFTY-FIFTY TABLE LAMP

DESIGN Sam Weller
SIZE W18,5 x D90 x H60 cm
 W7.28" x D35.43" x H23.62"
DETAILS Wet spray and anodised aluminium, sand cast iron, powder coated steel, EVA foam pad, integrated LED module.
LIGHT SOURCE LED INTEGRATED, 4W 360LM 3000K
DIMMABLE Yes
SWITCH INTEGRATED TOUCH STEP
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4102111009000	Soft black powder coated aluminium	 5 710441 243090	3.049,00
4102112009000	Ash grey powder coated aluminium	 5 710441 243106	3.049,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W99.5 x D17 x H6 cm / 2 kg
PRODUCT STATUS	Stock Item		1 pcs. / W25.5 x D24 x H5 cm / 3 kg

FIFTY-FIFTY FLOOR LAMP

DESIGN Sam Weller
SIZE W25 x D90 x H135 cm
 W9.84" x D35.43" x H53.15"
DETAILS Wet spray and anodised aluminium, sand cast iron, powder coated steel, EVA foam pad, integrated LED module.
LIGHT SOURCE LED INTEGRATED, 4W 360LM 3000K
DIMMABLE Yes
SWITCH INTEGRATED TOUCH STEP
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4102132009000	Ash grey powder coated aluminium	 5 710441 243120	5.329,00
4102131009000	Soft black powder coated aluminium	 5 710441 243113	5.329,00

PACKAGING	PRODUCT STATUS	BOX DIMENSIONS AND WEIGHT
3 box / 1 pcs.	Stock Item	1 pcs. / W99.5 x D17 x H6 cm / 2 kg 1 pcs. / W31.5 x D30 x H7 cm / 3.5 kg 1 pcs. / W78 x D6.5 x H6.5 cm / 1.2 kg

FIFTY-FIFTY MINI

DESIGN Sam Weller
SIZE W16,5 x D65 x H45 cm
 W6.5" x D25.59" x H17.72"
DETAILS Wet spray and anodised aluminium, sand cast iron, powder coated steel, EVA foam pad, integrated LED module.
LIGHT SOURCE LED INTEGRATED, 4W 360LM 3000K
DIMMABLE Yes
SWITCH INTEGRATED TOUCH STEP
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4102172009000	Ash grey powder coated aluminium	 5 710441 248361	2.739,00
4102171009000	Soft black powder coated aluminium	 5 710441 248354	2.739,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W75.5 x D17 x H6 cm / 1.5 kg
PRODUCT STATUS	Stock Item		1 pcs. / W25.5 x D24 x H5 cm / 2.5 kg

MARSELIS TABLE LAMP

DESIGN Kaschkasch
SIZE W10 x D20 x H38 cm
 W3.94" x D7.87" x H14.96"
DETAILS Wet spray aluminium, moulded PMMA,
 moulded Polycarbonate, sand cast iron,
 powder coated steel, EVA foam pad,
 integrated LED strip.
LIGHT SOURCE LED STRIP, 6W 225LM 3000K
DIMMABLE Yes
SWITCH INTEGRATED STEPLESS TOUCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4191113009000	Khaki green powder coated aluminium	 5 710441 261315	1.829,00
4191112009000	Ash grey powder coated aluminium	 5 710441 261308	1.829,00
4191111009000	Soft black powder coated aluminium	 5 710441 261292	1.829,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W44,5 x D19 x H15 cm / 2,00 kg
PRODUCT STATUS Stock Item

MARSELIS FLOOR LAMP

DESIGN Kaschkasch
SIZE W17,5 x D21,2 x H126 cm
 W6.89" x D8.35" x H49.61"
DETAILS Wet spray aluminium, moulded PMMA,
 moulded Polycarbonate, sand cast iron,
 powder coated steel, EVA foam pad,
 integrated LED strip.
LIGHT SOURCE LED STRIP, 6W 225LM 3000K
DIMMABLE Yes
SWITCH INTEGRATED STEPLESS TOUCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4191132009000	Ash grey powder coated aluminium	 5 710441 261339	2.739,00
4191131009000	Soft black powder coated aluminium	 5 710441 261322	2.739,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W133 x D25 x H25 cm / 5,00 kg
PRODUCT STATUS Stock Item

ROPE TRICK

DESIGN Stefan Diez
SIZE W18 x D33 x H170 cm
 W7.09" x D12.99" x H66.93"
DETAILS Woven PET, aluminium, acrylic, polypropylene and ABS. Integrated LED module.
LIGHT SOURCE INTEGRATED LED, 11W 410LM 3000K
DIMMABLE Yes
SWITCH INTEGRATED STEPLESS PUSH
IP 20
CORD LENGTH 250 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004411009000	Black acrylic shade, black iron and ABS base, black woven PET	 5 710441 027157	5.329,00
4004411509000	Black acrylic shade, black iron and ABS base, beige woven PET	 5 710441 027164	5.329,00
4004412509000	Black acrylic shade, black iron and ABS base, yellow woven PET	 5 710441 027171	5.329,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W170 x D47 x H29 cm / 11,50 kg
PRODUCT STATUS Stock Item

30 DEGREES WITH CORD SET / S / PENDANT

DESIGN Johan Van Hengel
SIZE Ø24 x H17 cm
 Ø9.45" x H6.69"
DETAILS Veneered oak pendant shade with textile cord set. LED bulb included with grey and white cord sets.
DIMMABLE No
SWITCH No
CORD LENGTH 400 cm
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4190131009000	Matt lacquered oak veneer shade, black cord set	 5 710441 204756	1.299,00
4190111009000	Matt lacquered oak veneer shade, white cord set	 5 710441 204725	1.299,00
4190151009000	Matt lacquered oak veneer shade, grey cord set	 5 710441 204787	1.299,00

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W27 x D27 x H19 cm / 0.5 kg
PRODUCT STATUS Stock Item 1 pcs. / W12.5 x D12.6 x H14.5 cm / 0.5 kg

30 DEGREES WITH CORD SET / M / PENDANT

DESIGN Johan Van Hengel
SIZE Ø33,5 x H25 cm
 Ø13.19" x H9.84"
DETAILS Veneered oak pendant shade with textile cord set. LED bulb included with grey and white cord sets.
DIMMABLE Yes
SWITCH No
CORD LENGTH 400 cm
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4190331009000	Matt lacquered oak veneer shade, black cord set	 5 710441 204848	1.599,00
4190351009000	Matt lacquered oak veneer shade, grey cord set	 5 710441 204879	1.599,00
4190311009000	Matt lacquered oak veneer shade, white cord set	 5 710441 204817	1.599,00


PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W35 x D35 x H27 cm / 1.5 kg
PRODUCT STATUS Stock Item 1 pcs. / W12.5 x D12.6 x H14.5 cm / 0.5 kg

30 DEGREES WITH CORD SET / L / PENDANT

DESIGN Johan Van Hengel
SIZE Ø45 x H35 cm
 Ø17.72" x H13.78"
DETAILS Veneered oak pendant shade with textile cord set. LED bulb included with grey and white cord sets.
DIMMABLE Yes
SWITCH No
CORD LENGTH 400 cm
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
---------	--------	----------	---------------

4190391009000	Matt lacquered oak veneer shade, black cord set	 5 710441 207757	2.589,00
---------------	---	---	----------

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W46 x D46 x H38 cm / 2 kg
PRODUCT STATUS	Stock Item		1 pcs. / W12.5 x D12.6 x H14.5 cm / 0.5 kg

30 DEGREES WITH CORD SET / XL / PENDANT

DESIGN Johan Van Hengel
SIZE Ø61,5 x H50 cm
 Ø24.21" x H19.69"
DETAILS Veneered oak pendant shade with textile cord set. LED bulb included with grey and white cord sets.
DIMMABLE Yes
SWITCH No
CORD LENGTH 400 cm
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4190451009000	Matt lacquered oak veneer shade, black cord set		3.119,00







PACKAGING	BOX DIMENSIONS AND WEIGHT
2 box / 1 pcs. PRODUCT STATUS Stock Item	1 pcs. / W63 x D63 x H53 cm / 3.5 kg 1 pcs. / W12.5 x D12.6 x H14.5 cm / 0.5 kg

SINKER / S / PENDANT

DESIGN HAY
SIZE Ø23 x H19 cm
 Ø9.06" x H7.48"
DETAILS Shade in textured ABS with acrylic diffuser and textile cord. LED bulb included.
LIGHT SOURCE E27 LED BULB, 10.5W 810LM 2800K
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004751509000	Dusty grey textured ABS	 5 710441 030966	1.979,00
4004752009000	White textured ABS	 5 710441 036548	1.979,00
4004752509000	Red textured ABS	 5 710441 206538	1.979,00
4004751009000	Signal black textured ABS	 5 710441 030959	1.979,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W31 x D30 x H29 cm / 2,00 kg
PRODUCT STATUS Stock Item

SINKER / L / PENDANT

DESIGN HAY
SIZE Ø37,5 x H35 cm
 Ø14.76" x H13.78"
DETAILS Shade in textured ABS with acrylic diffuser
 and textile cord. LED bulb included.
LIGHT SOURCE E27 LED BULB, 13W 660LM 2800K
DIMMABLE Yes
SWITCH No
IP 20
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004762509000	Red moulded acrylic	 5 710441 206545	2.439,00
4004762009000	White moulded acrylic	 5 710441 036708	2.439,00
4004761509000	Dusty grey moulded acrylic	 5 710441 030980	2.439,00
4004761009000	Signal black moulded acrylic	 5 710441 030973	2.439,00



PACKAGING 1 box / 1 pcs.
PRODUCT STATUS Stock Item

BOX DIMENSIONS AND WEIGHT 1 pcs. / W44 x D42,5 x H40,5 cm / 4,00 kg

NOC CLIP

DESIGN Smith Matthias
SIZE W10 x D14 x H22 cm
 W3.94" x D5.51" x H8.66"
DETAILS Powder coated aluminium clip light. LED bulb included.
LIGHT SOURCE E14 LED BULB, 5.5W 380LM 2800K
DIMMABLE No
SWITCH INLINE ON/OFF
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004511009000	Off white powder coated aluminium	 5 710441 023616	1.529,00
4004513509000	Red powder coated aluminium	 5 710441 039174	1.529,00
4004511509000	Dark grey powder coated aluminium	 5 710441 023623	1.529,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W23 x D23 x H26 cm / 1,50 kg
PRODUCT STATUS Stock Item

NOC WALL

DESIGN Smith Matthias
SIZE W11 x D22 x H14 cm
 W4.33" x D8.66" x H5.51"
DETAILS Powder coated aluminium wall light. LED bulb included.
LIGHT SOURCE E14 LED BULB, 5.5W 380LM 2800K
DIMMABLE No
SWITCH INLINE ON/OFF
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004521009000	Off white powder coated aluminium	 5 710441 178446	1.529,00
4004521109000	Dark grey powder coated aluminium	 5 710441 178453	1.529,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W23 x D23 x H26 cm / 1,40 kg
PRODUCT STATUS Stock Item

NOC WALL BUTTON

DESIGN Smith Matthias
SIZE W11,8 x D22 x H14 cm
 W4.65" x D8.66" x H5.51"
LIGHT SOURCE E14 LED BULB, 5.5W 380LM 2800K
DIMMABLE No
SWITCH INTEGRATED ON/OFF TOUCH
IP 20
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004501109000	Dark grey powder coated aluminium	 5 710441 241287	1.529,00
4004501009000	Off white powder coated aluminium	 5 710441 241270	1.529,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W26 x D23 x H13 cm / 1,30 kg
PRODUCT STATUS Stock Item

TURN ON

DESIGN Joel Hoff
SIZE Ø10 x H19,5 cm
 Ø3.94" x H7.68"
DETAILS Opal glass shade and anodized aluminium base. LED bulb included.
LIGHT SOURCE INTEGRATED LED, 5W 150LM 2700K
DIMMABLE Yes
SWITCH INTEGRATED ROTARY LAMP BODY
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004531109000	Blown opal glass shade, aluminium anodized aluminium base	 5 710441 037798	1.369,00
4004531009000	Blown opal glass shade, black anodized aluminium base	 5 710441 037781	1.369,00
4004531209000	Blown opal glass shade, orange anodized aluminium base	 5 710441 037804	1.369,00
4004531309000	Blown opal glass shade, green anodized aluminium base	 5 710441 037811	1.369,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W18 x D24,5 x H13 cm / 1,20 kg
PRODUCT STATUS Stock Item

CLOCHE

DESIGN Lars Beller Fjetland
SIZE W26 x D46 x H43 cm
 W10.24" x D18.11" x H16.93"
DETAILS Table lamp in steel shade and cast iron base.
 LED bulb included.
LIGHT SOURCE E14 LED BULB, 5.5W 345LM 2800K
DIMMABLE No
SWITCH INLINE ON/OFF
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4004562009000	Black powder coated steel shade, black cast iron and aluminium base	 5 710441 029984	2.589,00
4004564009000	Polished brass shade, black cast iron and aluminium base	 5 710441 036784	2.589,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W70 x D36 x H37,5 cm / 8,00 kg
PRODUCT STATUS Stock Item

PC PORTABLE

DESIGN Pierre Charpin
SIZE W14 x D14 x H22 cm
 W5.51" x D5.51" x H8.66"
DETAILS Body in injection moulded ABS, with a translucent PP diffuser. Shade in injection moulded opaque ABS for Soft Black and Olive lamp, translucent PP for Cream White.
LIGHT SOURCE G4 LED, 3.5W 85LM 3000K
DIMMABLE Yes
SWITCH TOUCH STEP DIMMER
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4104313009000	Cream white ABS	 5 710441 267898	759,00
4104312009000	Olive ABS	 5 710441 267881	759,00
4104311009000	Soft black ABS	 5 710441 267874	759,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W15 x D15 x H26,5 cm / 0,65 kg
PRODUCT STATUS Stock Item

PC SINGLE ARM W. CLAMP

DESIGN Pierre Charpin
SIZE W14 x D9 x H62,7 cm
 W5.51" x D3.54" x H"24.69"
DETAILS Extruded aluminium arm with die cast aluminium joints. Injection moulded polycarbonate (PC) lamp shade. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W 363LM 3100K
DIMMABLE Yes
SWITCH INTEGRATED STEPLESS TOUCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4190911009000	Soft black powder coated aluminium	 5 710441 258803	2.359,00
4190911109000	Ash grey powder coated aluminium	 5 710441 258810	2.359,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W16 x D8 x H7.5 cm / 1 kg
PRODUCT STATUS	Stock Item		1 pcs. / W55 x D18.5 x H11.5 cm / 1.5 kg

PC SINGLE ARM W. WALL BRACKET

DESIGN Pierre Charpin
SIZE W14 x D9 x H61 cm
 W5.51" x D3.54" x H24.02"
DETAILS Extruded aluminium arm with die cast aluminium joints. Injection moulded polycarbonate (PC) lamp shade. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W 363LM 3100K
DIMMABLE Yes
SWITCH INTEGRATED STEPLESS TOUCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4190921009000	Soft black powder coated aluminium	 5 710441 258827	2.209,00
4190921109000	Ash grey powder coated aluminium	 5 710441 258834	2.209,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W9 x D8.5 x H6 cm / 0.5 kg
PRODUCT STATUS	Stock Item		1 pcs. / W55 x D18.5 x H11.5 cm / 1.5 kg

PC DOUBLE ARM W. WALL BRACKET

DESIGN Pierre Charpin
SIZE W14 x D55 x H45 cm
 W5.51" x D21.65" x H17.72"
DETAILS Extruded aluminium arms with die cast aluminium joints. Injection moulded polycarbonate (PC) lamp shade. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W 363LM 3100K
DIMMABLE Yes
SWITCH INTEGRATED STEPLESS TOUCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.






ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4190931009000	Soft black powder coated aluminium	 5 710441 25884 1	2.489,00
4190931109000	Ash grey powder coated aluminium	 5 710441 25932 9	2.489,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W9 x D8.5 x H6 cm / 0.5 kg
PRODUCT STATUS	Stock Item		1 pcs. / W48 x D48 x H10 cm / 2 kg

PC DOUBLE ARM W. CLAMP

DESIGN Pierre Charpin
SIZE W14 x D55 x H60,5 cm
 W5.51" x D21.65" x H23.82"
DETAILS Extruded aluminium arms with die cast aluminium joints. Injection moulded polycarbonate (PC) lamp shade. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W 363LM 3100K
DIMMABLE Yes
SWITCH INTEGRATED STEPLESS TOUCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4190951009000	Soft black powder coated aluminium	 5 710441 258858	2.639,00
4190951109000	Ash grey powder coated aluminium	 5 710441 258865	2.639,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W16 x D8 x H7.5 cm / 1 kg
PRODUCT STATUS	Stock Item		1 pcs. / W48 x D48 x H10 cm / 2 kg

PC DOUBLE ARM W. TABLE INSERT

DESIGN Pierre Charpin
SIZE W14 x D55 x H42,5 cm
 W5.51" x D21.65" x H16.73"
DETAILS Extruded aluminium arms with die cast aluminium joints. Injection moulded polycarbonate (PC) lamp shade. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W 363LM 3100K
DIMMABLE Yes
SWITCH INTEGRATED STEPLESS TOUCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.







ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4190971109000	Ash grey powder coated aluminium	 5 710441 258889	2.489,00
4190971009000	Soft black powder coated aluminium	 5 710441 258872	2.489,00

PACKAGING	2 box / 1 pcs.	BOX DIMENSIONS AND WEIGHT	1 pcs. / W48 x D48 x H10 cm / 2 kg
PRODUCT STATUS	Stock Item		1 pcs. / W15 x D8.5 x H7.5 cm / 0.22 kg

PC DOUBLE ARM W. TABLE BASE

DESIGN Pierre Charpin
SIZE W14 x D55 x H42 cm
 W5.51" x D21.65" x H16.54"
DETAILS Extruded aluminium arms with die cast aluminium joints. Injection moulded polycarbonate (PC) lamp shade. Silicone cable cord.
LIGHT SOURCE INTEGRATED LED, 5.7W 363LM 3100K
DIMMABLE Yes
SWITCH INTEGRATED STEPLESS TOUCH
IP 20
CORD LENGTH 200 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.




ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
4191011209000	Leaf green powder coated aluminium	 5 710441 207924	2.669,00
4191011309000	Warm yellow powder coated aluminium	 5 710441 207931	2.669,00
4191011009000	Soft black powder coated aluminium	 5 710441 207900	2.669,00

PACKAGING 2 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W48 x D48 x H10 cm / 2 kg
PRODUCT STATUS Stock Item 1 pcs. / W23 x D23 x H8 cm / 3.5 kg

CORD SET

DESIGN HAY
SIZE Ø10 x L405 cm
 Ø3.94" x L159.45"
DETAILS Ceiling mounted textile cord set. Compatible with 30 Degrees shades and Rice Paper shades.
CORD LENGTH 400 cm
SUPPLY 220-240V
SALES QTY. 1 pcs.



ITEM NO	FINISH	EAN CODE	SEK INCL. VAT
418981	Black textured ABS		379,00

PACKAGING 1 box / 1 pcs. **BOX DIMENSIONS AND WEIGHT** 1 pcs. / W12,5 x D12,6 x H14,5 cm / 0,50 kg
PRODUCT STATUS Stock Item

REFERENCE MATERIAL / LIGHTING

THE LED BULB



Incandescents are banned within EU CFL's will be phased out shortly (contains Mercury, a banned heavy metal)

Halogens are far less efficient than LED's, and are very hot, posing safety issues.

Quality and colour of light has improved in recent years

Energy efficiency is improving quickly (ie. Lumens per Watt value is improving)

Technology is developing quickly (ie. flexibility, more colour tones, intelligent lamps etc.)

Price is rapidly decreasing.

Average life span of 25,000 hours, that is roughly 8-10 years of reasonable use, before the efficiency decreases by more than 30% (NOT fails)

CE MARKING



The CE mark signifies that a product conforms to the requirements of relevant EEC directives.

The prime purpose of the mark is to show that the product is safe to the customer facilitating the free trading and movement of products within the EEC.

ELECTROMAGNETIC COMPATIBILITY DIRECTIVE (EMC)



The ElectroMagnetic Compatibility directive requires that the product are designed and operate so that they meet limits of electrical and magnetic interference by emission and conduction with other electrical devices.

WEEE DIRECTIVE



Waste electrical and electronic equipment (WEEE) defines requirements and responsibilities for the management of waste lighting equipment within the European Union. This places responsibility for managing waste on the producer, reseller (in cases of re-branded product) or importer of the product.

ROHS DIRECTIVE



The restriction of the use of certain hazardous substances in electrical and electronic equipment within the European Union. However certain exemptions exist including mercury in lamps, lead in the glass of fluorescent tubes and nickel cadmium in batteries for emergency lighting products.

REFERENCE MATERIAL / LIGHTING

INGRESS PROTECTION (IP) RATING

Connectors may be susceptible to ingress of foreign materials such as moisture or dust, particular in the unmated condition. The first digit defines the protection against the ingress of dust, the second digit defines the protection against the ingress of water. The table below shows IP ratings for electrical connectors.

IP67

FIRST DIGIT	SECOND DIGIT
0	No Protection against contact and ingress of objects
1	Protected against any large surface of the body, such as the back of a hand. Protected against solid objects greater than 50mm in size.
2	Protected against access to hazardous parts by a finger or similar object. Protected against solid objects greater than 12.5mm in size.
3	Protected against access to hazardous parts with a tool or thick wire. Protected against solid objects greater than 2.5mm in size.
4	Protected against access to hazardous parts with a wire, screw, etc. Protected against solid objects greater than 1mm in size.
5	Protected against access to hazardous parts. Dust protected.
6	Protected against access to hazardous parts. Dust-tight.
0	No Protection
1	Protected against water drops
2	Protected against water drops at a 15 degree angle
3	Protected against water spray at 60 degree angle
4	Protected against water splashing from any angle
5	Protected against water jets from any angle
6	Protected against powerful water jets and heavy seas
7	Protected against the effects of temporary submersion in water. Test requires 30 minutes at 1 meter depth.
8	Protected against the effects of temporary submersion. Customer specification applies and specific testing may be required.
9K	Protects against high pressures associated with steam cleaning.

INGRESS PROTECTION (IP) WET ZONES

